### Outdoor Dustproof Polar Fleece Jacket ,China Manufacturer Soft Shell Ploar Fleece Jacket for Mining

### Description

- \* one full PVC zipper closure, we also have nylon zipper can YKK zipper. It depends on your requirements.
- \* Two side pockets, if necessary, you can add more pockets.
- \* two elastic cuffs
- \* elasticated adjuster bottom
- \* Can be with reflective tapes on the back, normal reflective tapes or 3M reflective tapes
- \* Can be with your logo, print or embroider

### Specifications:

Details of Workwear	Size	From S to XXXL European Size		
Polar Fleece Jacket	Zipper	PVC zipper,Nylon Zipper,Brass Zipper		
	Color	Any color is aviable.We usually make black,navy blue		
		and green.		
	Gender	Unisex		
	Pocket	2 side pockets in total		
	Fabric	100%polyester,260GSM		
	Choose	100% polyester,360GSM		
	Cuff	2 cuffs with elastic		
	Logo	Printing or Embroidery		
	Market	Europe market,America Market,Middle East		
Workmanship	Stitching	Single stitching,double stitching and triple stitching		
Packaging	Nomal	1 piece/nomal polybag		
	Polybag			
	Carton	20pcs/carton		
	MEAS	60cm*40cm*30cm		
Sample	We can pro	We can provide you with samples.It will take about 10 working		
	days as us	days as usual.		
Supply	The supply	The supply we provide is OEM.		
Series Recommendation	Polar fleec	Polar fleece vest,polar fleece jacket with reflective tapes		

### **Applications:**

Industry Places	Oil, Gas station,Mining,Offshore,Road,Factory,Electric,Sanitation
	Worker
Construction	Construction worker,builder
Logistics	Driver,porter,courier,staff of transportation

### **Competitive Advantages:**

- \* Over 11 Years leading manufacturer in Wuhan.Professional and Honest.
- \* Free to make counter samples.
- \* SGS Report available.
- \* About 200 workers are over 10-15 years experience, strong accountability mechanisms.
- \* Over 20 years experience of our two designers, they are skillful at the newest software for pattern making, efficient and precision.
- \* 8 QC inspectors:constroling the quality from Cutting,Sewing,Packaging,Ironing all the way



## **Company Profile**

Office



Show room



### FACTORY



Workshop



Machineries



# CERTIFICATE

### **ISO9000 Certificate**



## **OEKO-TEX** Certificate

CERTIFIC	ATE	TIFIC		OEKO-TEX
The company		THE	MIL	<b>\TE</b>
WOULD KINGLOND FREITECTIN PRODUCTS DOLLTS. MACINA DELTINO, TANNA SOTO, MARINA ROLO, MACINA DELTINO, WULAN, ERIERA, Dima 9 permit differentiate associative of BTANCHOLD (In to DACD TE IN In one has Entranciated and the Color TECH may, based on and the In one has Entranciated and the Color TECH may, based on and the	OEKO-TEX®	\$ 00,170. 640.		OEKO-TEX®
Treases hash of commissionities across Sales, based-optimity approximation and based on the second Sales and across second sales across takes (PCB across date), SPE of a straint (second, SA hash and and take programs (Sales across an entrand procession) across second sales of the SA hash and the resolution of the imperior marks accurating to EXTRACTARS The resolution of the imperior marks accurating to EXTRACTARS the resolution of the imperior marks accurately to EXTRACTARS the data accurate provide accurate the term of the data of the second procession of the data of the second provide accurate takes and extending on the data of the second provide accurate takes accurate the second accurate takes accurate the second second second the second provide accurate takes accurate takes. The second second the second second second second second second takes accurate takes accurate accurate takes accurate the second second takes accurate takes accurate accurate accurate takes accurate takes accurate takes accurate accurate takes accurate takes accurate takes accurate accurate takes accurate takes accurate takes accurate accurate accurate takes accurate takes accurate accurate accurate accurate takes accurate accurat	Brinds metal share better, signer, FE3 federer, POM rougs, reflective fabric in Vol by OKO-YCKI) IR Appendix 4: product class 8 insee above; in STANDARD 108 by OKNS-TEXB presently	10.8050.8050.005 640 Http:0051000 11.0088448/28422 7.1088244843	()#888722888 )8287 885 36882 22888 89888 46888 3 48888 3 48888 3 48888 3 4888 3 48888	PROPERTY OF THE PARTY OF THE PA
Intercent represent reporting total context of basis to cholmen's activate CPD (exc) and of the Chinese adartised UB 166(1-2010 basising separatementy are the Notest of the contribution, which has instead a contently inclusively the STANDARD 100 by DDRD/TEXE mail and, or performance with president the STANDARD 100 by DDRD/TEXE mail and, or performance with president	A with the investigation of accessionless made from a not varified).		5700 NETYERANAPO2361.	
Manutum requires Manuel and an annuel of these is obtained. The intervence of the Constrained IG 19 49(2)(2) banding sequences are the Indian of the unitidated, with the insert a unitimating indicatation associated in 16 Manuel 20 (10) (2015) 1288 million with an unitariation associated in 16 Manuel 20 (10) (2015) 1288 million with an unitariation and parameters in the Indianet 20 (10) (2015) 1288 million with an unitariation and parameters in the Constitution BMIDD effects of the unital 31,152,2018 (2016), 17 (13) 2018	A with the investigation of accessionless made from a not varified).			KRERZY, HUNDRODENNY & MPRI, PORRADORNY & SUMERICAL AND STRAIGHT SUMERICAL AND STRAIGHT SUMERICAL AND STRAIGHT
bench 17 Ma 2016	A with the investigation of accessionless made from a not varified).	**************************************		8781.0588884888888888 12112888748899848688

## **NEO SAFETY** Label Brand



# Julia Yao

## Tel/WhatsApp/WeChat:+86 17764096672

Wuhan Kinglong Protective Products Co., Ltd

- 1508, Building 5, Fanhai Soho, Huaihai Road, Wuhan, China
- S 0086-27-83884677
- www.wuhankinglong.com
- Sales1@wuhankinglong.com

