Waterproof Acid Resistant Winter Workwear , Industrial Construction Coveralls

product show:



Specifications:

Easy to care for and crease-resistant polyester cotton twill.

More acid-resistant than 100% cotton.

 $2\ {\rm chest}\ {\rm pockets}\ (1\ {\rm with}\ {\rm pen}\ {\rm and}\ {\rm pencil}\ {\rm partition}).$

Leg ruler pocket.

Hip and follow-through side pockets.

Straight back.

Colors:

Navy or Brown or Black or Customized

Men's Chest Size:

Small (36-38) (Not available in Tall), Medium (40-42), Large (44-46), X-Large (48-50), 2X-Large (52-54), 3X-Large (56-58)

Style Name:	Workwear Winter Work Jackets Waterproof Work Winter Coveralls Parka
Function:	Industrial workwear, painter workwear, man workwear, factroy workwear, reflective workwear, colourful workwear.
Lining:	padding+lining
Details:	Button: Seven concealled poppers on center front,Two concealled popper on chest pocket flap.
	Elastic waistband on back, Front rever collar with stud
Pockets:	Two pockets with plap on chest, two side hip pockets, one back pocket,one ruler pocket,one hammer loop.
Color:	Multi colours choices we could also make according to your requirements.
Size:	S-4XL or follow client requirements
Logo:	Printed or Embroidered / OEM
Deliver time:	45-90 days after order confirmed on base of quantity. *We have large capacity of this style. Our capacity of each month is 40000PCS. We can make sure the delivery time for each client.

Description:

- 1. Cold resistance
- 2. Durable constrction
- 3. Stable supply chain
- 4. 100% cotton

Our heavy weight 10 oz. 100% cotton duck coverall with 5 oz. Polyfil insulation is quilted to 100% nylon liner to withstand the harshest elements. The coverall has brass leg zippers that run from the waist to bottom of pants for easy dressing without taking off your boots. The coverall's eight pocket design includes two brass zippered chest pockets and two reinforced hip pockets/left with brass zipper. This coverall has two front swing pockets with side openings, hammer loop/left leg and double rule pockets/right leg. Comfort Range: -20° F to 50° F. The coverall has a corduroy collar with snaps for optional hood. Inner Padded winter work ovealls Fabric dirt resistance Full protective workers overall uniforms CE standard

CERTIFICATE

ISO9000 Certificate



OEKO-TEX Certificate

CERTIFIC	ATE	TIFIC		OEKO-TEX
The company		THE	MIL	\TE
WOULD KINGLOND FREITECTIN PRODUCTS DOLLTS. MACINA DELTINO, TANNA SOTO, MARINA ROLO, MACINA DELTINO, WULAN, ERIERA, Dima 9 permit differentiate associative of BTANDARD Risk (MACIN') 1 permit differentiate associative of BTANDARD Risk (MACIN') 1 permit differentiates associative of DELTINO 1 permit differentiat	OEKO-TEX®	\$ 00,170. 640.		OEKO-TEX®
Treases have of commissionities across Sams, basical approx. Appl. Com- pared and the second states, STAP 2014, States and states across across takes (FTB across dates, STAP 2014 states) basics AS have a set time across takes (FTB across dates, STAP 2014 states) basics AS have a set time state of the imperior marker approximate according to a STABADER The model of the imperior marker approximate the STAPADER 2014 to CASI- to the dates ampletone marker approximate the STAPADER 2014 to CASI- to the dates ampletone marker approximate the states according to a state institution of Approximate AG products with dates contact to acco. The states according to the state according to according to according to according to the states according to according to according to according to according to the state according to according to according to according to according to the state according to accord	Калалакатон на		PROPERTY OF THE PARTY OF THE PA	
Intercent represent reporting total context of basis to cholmen's activate CPD (exc) and of the Chinese adartised UB 166(1-2010 basising separatementy are the Notest of the contribution, which has instead a contenting indexatore according the STANDARD 100 by DDRO-TEXE mail and, or performance with provider the STANDARD 100 by DDRO-TEXE mail and, or performance with provider	A with the investigation of accessionless made from a not varified).			
Manutum requiring Materia and an anti-off a fault is obtained with a fault of the Constraints of the Manufacture stands of 15 Hall (2012) Badding sequences are the Indian of the unit fault (2014) Stands and an anti-off the materia manufacture in the Indian of the Unit Stands and an anti-off the indianal manufacture and indianal to United Table and with an anti-off the united and the infinition is united by audio. The destillation SMI3DE 4557 In well wells 31.152.2558 Stands. 17.152.2518	A with the investigation of accessionless made from a not varified).			KRERZY, HUNDRODENNY & MPRI, PORRADORNY & UNIONNY ARADIGAN UNIONNY ARADIGAN UNIONNY ARADIGAN UNIONNY ARADIGAN UNIONNY ARADIGAN UNIONNY ARADIGAN UNIONNY ARADIGANA
bench 17 Ma 2016	A with the investigation of accessionless made from a not varified).	**************************************		8781.0588884888888888 12112888748899848888

NEO SAFETY Label Brand



Company Profile

Office



Show room



FACTORY



Workshop



Machineries



Julia Yao

Tel/WhatsApp/WeChat:+86 17764096672

Wuhan Kinglong Protective Products Co., Ltd

- 1508, Building 5, Fanhai Soho, Huaihai Road, Wuhan, China
- S 0086-27-83884677
- www.wuhankinglong.com
- Sales1@wuhankinglong.com

